

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME I ATLANTIC COAST, 2005							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*830	NOAA Data Lighted Buoy 44025 (ODAS)	40 15 00 N 73 10 00 W	Fl (4) Y 20s			Yellow.	28/05
28510	- Lighted Buoy 18 On south side of shoal.	41 00 42 N 72 23 54 W	Fl R 4s		4	Red.	Replaced by can from Nov. 15 to Apr. 15.
	*		*		*	*	* 28/05
CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2005							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
28730	- LIGHT 11	35 11 57 N 75 44 21 W	Fl G 4s	15	4	SG on multi-pile structure.	Ra ref.
		*					28/05
28735	- Warning Daybeacon						Remove from list.
							* 28/05
28735.1	- LIGHT 13		Q G	15	3	SG on pile.	
	*			*		*	28/05
29520	- Buoy 6					Red nun.	
	*					*	28/05
29522	- Buoy 5B						Remove from list.
							* 28/05
29523	- Buoy 5C						Remove from list.
							* 28/05
29538	- Buoy 9						Remove from list.
							* 28/05
29557	- Buoy 13					Green can.	
	*					*	28/05
*29559	- Buoy 14					Red nun.	
							28/05
*29563	- Buoy 16					Red nun.	
							28/05
29565	- Buoy 17					Green can.	
	*		*		*	*	28/05
29565.5	- Buoy 17						Remove from list.
							* 28/05

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME II ATLANTIC COAST, 2005							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
36735	- LIGHT 6	38 57 07 N 74 52 50 W	FI R 4s	15	3	TR-TY on pile.	
		*					28/05
CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2005							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
Steinhatchee River							
1660	- Light 1	29 39 24 N 83 27 24 W	FI G 4s	30	5	SG on dolphin.	
						*	28/05
2385	FORT SUMTER RANGE FRONT LIGHT	32 45 44 N 79 51 48 W	FI W 2.5s (Day) FI W 2.5s (Night) FI W 2.5s	26 38 38	5	On skeleton tower.	Visible 0.5° each side of range line. Lighted throughout 24 hours.
			*	*			28/05
6640	St. Marys North Jetty Daybeacon E						Remove from list.
							*
							28/05
6645	St. Marys South Jetty Daybeacon F						Remove from list.
							*
							28/05
Steinhatchee River							
30455 1660	- LIGHT 1	29 39 24 N 83 27 24 W	FI G 4s	30	5	SG on dolphin.	
						*	28/05
30485	- Daybeacon 11			16	4	SG on pile.	
	*			*		*	28/05
*30745.5	- RANGE FRONT PASSING LIGHT	18 27 25 N 66 07 42 W	Q W	25	5	On same structure as Bahia De San Juan Range Front Light.	Visible all around.
							28/05
*32847	Hams Bluff FAD Lighted Buoy S		FI Y 4s		Yellow.		Private aid.
							28/05
*33053	North Lang Bank FAD Lighted Buoy B	17 51 36 N 64 30 48 W	FI Y 4s		Yellow.		Private aid.
							28/05
*33142	South Lang Bank FAD Lighted Buoy D		FI Y 4s		Yellow.		Private aid.
							28/05
*33144	Grass Point FAD Lighted Buoy P		FI Y 4s		Yellow.		Private aid.
							28/05

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2005							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
34455	- LIGHT 103	32 51 02 N 79 43 45 W	FI G 4s	16	4	SG-SY on pile.	
		*					28/05
*38168	Amelia Island Danger Shoal Daybeacon 1	81 26 45 N 30 31 35 W				NW on pile worded DANGER ROCKS.	Private aid.
							28/05
*38169	Amelia Island Danger Shoal Daybeacon 2					NW on pile worded DANGER ROCKS.	Private aid.
							28/05
*38171	Amelia Island Danger Shoal Daybeacon 3					NW on pile worded DANGER ROCKS.	Private aid.
							28/05
*38176	Amelia Island Danger Shoal Daybeacon 8					NW on pile worded DANGER ROCKS.	Private aid.
							28/05
*38177	Amelia Island Danger Shoal Daybeacon 9					NW on pile worded DANGER ROCKS.	Private aid.
							28/05
*38181	Amelia Island Danger Shoal Daybeacon 4					NW on pile worded DANGER ROCKS.	Private aid.
							28/05
*38182	Amelia Island Danger Shoal Daybeacon 5					NW on pile worded DANGER ROCKS.	Private aid.
							28/05
*38183	Amelia Island Danger Shoal Daybeacon 6					NW on pile worded DANGER ROCKS.	Private aid.
							28/05
*38184	Amelia Island Danger Shoal Daybeacon 7					NW on pile worded DANGER ROCKS.	Private aid.
							28/05
*50461	Mariners Club Channel Daybeacon 1	25 04 18 N 80 27 32 W				SG on pile.	Private aid.
							28/05
*50462	Mariners Club Channel Daybeacon 2					TR on pile.	Private aid.
							28/05
*50463	Mariners Club Channel Daybeacon 3					SG on pile.	Private aid.
							28/05
*50464	Mariners Club Channel Daybeacon 4					TR on pile.	Private aid.
							28/05

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME III ATLANTIC AND GULF COAST, 2005							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
*50466	Mariners Club Channel Daybeacon 5					SG on pile.	Private aid. 28/05
*50467	Mariners Club Channel Daybeacon 6					TR on pile.	Private aid. 28/05
*52641	Caloosahatchee River Mooring Channel Daybeacon 1	26 15 16 N 81 25 55 W				SG on pile.	Private aid. 28/05
*52642	Caloosahatchee River Mooring Channel Daybeacon 2					TR on pile.	Private aid. 28/05
*52643	Caloosahatchee River Mooring Channel Daybeacon 3					SG on pile.	Private aid. 28/05
*52644	Caloosahatchee River Mooring Channel Daybeacon 4					TR on pile.	Private aid. 28/05
*52644.1	Caloosahatchee River Mooring Channel Daybeacon 5					SG on pile.	Private aid. 28/05
*52644.2	Caloosahatchee River Mooring Channel Daybeacon 6					TR on pile.	Private aid. 28/05

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2005							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
10875	- LIGHT 67 115 feet outside channel limit.		FI G 4s	17	4	SG on pile.	Ra ref. * 28/05
10880	- LIGHT 68		FI R 4s	17	4	TR on pile.	Ra ref. * 28/05
10910	- LIGHT 77		FI G 4s	17	4	SG on pile.	Ra ref. * 28/05

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2005							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
MISSISSIPPI RIVER DELTA (Chart 11361)							
Head of Passes to New Orleans							
<i>Designations left descending bank (LDB) and right descending bank (RDB) are as seen from a vessel going downstream. Mileage given indicates the number of miles above Head of Passes Junction Light.</i>							
12900	HEAD OF PASSES JUNCTION LIGHT		FI (2+1) R 6s		5	JR on skeleton tower on piles.	Higher intensity beam up river. HORN: 2 blasts ev 20s (2s bl-2s si-2s bl-14s si). Continuously from Nov. 1 to Apr. 30.
				*			28/05
12910	CUBITS GAP RANGE FRONT LIGHT	29 10 00 N 89 15 13 W	Q G			KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
			*	*			28/05
12915	CUBITS GAP RANGE REAR LIGHT 309 yards, 154° from front light.		F G			KRW on skeleton tower on piles.	Visible 2° each side of rangeline.
				*			28/05
12920	PILOTTOWN RANGE A FRONT LIGHT	29 10 07 N 89 15 17 W	Q W			KRW on skeleton tower.	
				*			28/05
12925	PILOTTOWN RANGE A REAR LIGHT 308 yards, 003° from front light.		Iso W 6s			KRW on skeleton tower.	
				*			28/05
12930	PILOTTOWN RANGE A EAST FRONT LIGHT	29 10 12 N 89 15 12 W	Q R			KWR on skeleton tower on piles.	Visible 4° each side of rangeline.
			*	*			28/05
12935	PILOTTOWN RANGE A EAST REAR LIGHT 400 yards, 003° from front light.		Iso R 6s			KWR on skeleton tower on piles.	Visible 4° each side of rangeline.
				*			28/05
12940	PILOTTOWN RANGE A WEST FRONT LIGHT	29 10 12 N 89 15 18 W	Q G			KWG on skeleton tower on piles.	Visible 4° each side of rangeline.
			*	*			28/05
12945	PILOTTOWN RANGE A WEST REAR LIGHT 400 yards, 003° from front light.		Iso G 6s			KWG on skeleton tower on piles.	Visible 4° each side of rangeline.
				*			28/05
12995	SPENCES LIGHT 6A LDB mile 5.5.		FI R 6s		4	TR on skeleton tower.	Higher intensity beam up and down river.
				*			28/05

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2005							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
13050	ST. ANNE LIGHT 18 LDB mile 18.0.		FI R 4s		6	TR on skeleton tower on piles.	
				*			28/05
13100	NEPTUNE LIGHT 24 LDB mile 23.9.		Iso R 6s		5	TR on skeleton tower on platform Ra ref.	
				*			28/05
13193	FREEPORT-MCMORAN DOCK LIGHT	29 27 46 N 89 41 11 W	FI R 2.5s			On dock.	Private aid.
				*			28/05
13365	BEAU SEJOUR LIGHT 62 LDB mile 61.5.	29 40 54 N 89 57 37 W	Iso R 6s		7	TR on skeleton tower.	Higher intensity beam up and down river.
				*			28/05
13405	LAGRANGE LIGHT 67 RDB mile 65.8.	29 43 42 N 89 59 48 W	Iso G 6s		5	SG on skeleton tower on block.	
				*		*	28/05
13475	ENGLISH TURN LIGHT 80A LDB mile 78.3.	29 52 41 N 89 57 37 W	FI R 2.5s		5	TR on skeleton tower.	
				*			28/05
13482.5	STOLT-NIELSON DOCK LIGHT LDB mile 79.6	29 52 17 N 89 56 44 W	FI R 2.5			On dock.	Private aid.
				*			28/05
13500	SAXONHOLM LIGHT 86 LDB mile 86.0.	29 55 24 N 89 55 30 W	Iso R 6s		7	TR on pile.	Higher intensity beam up and down river.
				*			28/05
13510	NEW ORLEANS WATER DISCHARGE DOLPHIN LIGHTS (4) RDB mile 87.5.	29 55 12 N 89 57 30 W	FI G 2.5s			On dolphin.	Private aids.
				*			28/05
13512	SEWAGE AND WATER BOARD PIPELINE LIGHT A	29 55 04 N 89 58 00 W	FI Y 2.5s			NW on pile. Worded: DANGER PIPELINE	Private aid.
				*			28/05
13513	SEWAGE AND WATER BOARD PIPELINE LIGHT B	29 55 09 N 89 58 03 W	FI Y 2.5s			NW on pile Worded: DANGER PIPELINE.	Private aid.
				*			28/05
13515 33320	ALGIERS ALTERNATE ROUTE JUNCTION LIGHT A RDB mile 88.2.	29 55 12 N 89 58 00 W	FI (2+1) G 6s		6	JG-TY on skeleton tower on piles.	Higher intensity beam up and down river.
				*			28/05

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2005							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
13572 33262	NORFOLK SOUTHERN CORP. LIGHT LDB mile 89.8.	29 56 24 N 89 59 42 W	F I R 2.5s			On wall.	Private aid.
				*		*	28/05
13633 33187	ALGIERS POINT LIGHT 95	29 57 19 N 90 03 19 W	Q G		5	SG-SY on skeleton tower on piles.	
				*			28/05
13660 33215	GRETNA LIGHT 97 RDB mile 96.6.		F I G 4s		6	SG-SY on skeleton tower on same structure as Gretna Harbor Traffic Control Light.	Not operated when traffic control lights are in operation.
				*			28/05
13713	SIX MILE POINT LIGHT 102 LDB Mile 101.4.		Q R		3	TR on tower.	
				*			28/05
13735	CONTINENTAL BARGE UNLOADING DOCK LIGHT RDB mile 103.0.	29 56 00 N 90 08 30 W	F I G 2.5s			On pile.	Private aid.
				*			28/05
14940	- LIGHT 2 75 feet outside channel limit.		F I R 4s	17	3	TR on dolphin.	Ra ref.
						*	28/05
14950	- LIGHT 4 75 feet outside channel limit.	29 08 10 N 89 26 30 W	F I R 2.5s	17	3	TR on pile.	Ra ref.
		*					28/05
14960	- LIGHT 6 75 feet outside channel limit.		Q R	17	3	TR on pile.	Ra ref.
			*				* 28/05
15010	- LIGHT 18	29 09 02 N 89 24 26 W	F I R 6s	17	4	TR on pile.	Ra ref.
							* 28/05
15030	- Daybeacon 25	29 09 30 N 89 23 24 W				SG on pile.	Ra ref.
							* 28/05
15035	- Daybeacon 26	29 09 28 N 89 23 20 W				TR on pile.	Ra ref.
		*					28/05
33187 13633	ALGIERS POINT LIGHT 95	29 57 19 N 90 03 19 W	Q G		5	SG-SY on skeleton tower on piles.	
				*			28/05

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME IV GULF OF MEXICO, 2005							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
33215 13660	GRETNA LIGHT 97 RDB mile 96.6.		FI G 4s		6	SG-SY on skeleton tower on same structure as Gretna Harbor Traffic Control Light.	Not operated when traffic control lights are in operation.
				*			28/05
33262 13572	NORFOLK SOUTHERN CORP LIGHT LDB mile 89.8	29 56 24 N 89 59 42 W	FI R 2.5s			On wall.	Private aid.
*				*		*	28/05
Algiers Alternate Route							
33320 13515	- JUNCTION LIGHT A RDB mile 88.2.	29 55 12 N 89 58 00 W	FI (2+1) G 6s		6	JG-TY on skeleton tower on piles.	Higher intensity beam up and down channel.
				*			28/05
*Add Heading: *Goose Island Breakwater							
*36907.01	- Danger Daybeacon A	28 07 39 N 96 59 29 W				NW on pile worded: DANGER BREAKWATER.	Private aid.
							28/05
*36907.02	- Danger Daybeacon B	28 07 38 N 96 59 40 W				NW on pile worded: DANGER BREAKWATER.	Private aid.
							28/05
*36907.03	- DANGER LIGHT C	28 07 39 N 96 59 48 W	FI W 2.5s		4	NW on pile worded: DANGER BREAKWATER.	Private aid.
							28/05
*36907.04	- Danger Daybeacon D	28 07 40 N 96 59 56 W				NW on pile worded: DANGER BREAKWATER.	Private aid.
							28/05
*36907.05	- DANGER LIGHT E	28 07 45 N 97 00 02 W	FI W 2.5s		4	NW on pile worded: DANGER BREAKWATER.	Private aid.
							28/05
*36907.06	- Danger Daybeacon F	28 07 50 N 97 00 06 W				NW on pile worded: DANGER BREAKWATER.	Private aid.
							28/05
CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2005							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
2985	Queen Mary Cruise Terminal Light N	33 45 11 N 118 11 14 W	Q W	20		On post.	Private aid.
	*						28/05
22005	POINT DAVISON LIGHT	54 59 40 N 131 36 51 W	FI W 6s	33	6	NR on spindle.	Obscured from 138° to 250°.
	*						28/05

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.

SECTION II

CORRECTIONS TO C. G. LIGHT LIST, VOLUME VI PACIFIC COAST AND PACIFIC ISLANDS, 2005							
(1) No.	(2) Name and Location	(3) Position	(4) Characteristic	(5) Height	(6) Range	(7) Structure	(8) Remarks
22660	- Daybeacon 8	56 27 54 N 132 22 42 W		19		TR on pile.	
		*					28/05
22945	BUSH TOP ISLAND RANGE REAR LIGHT 460 yards, 029° from front light.	56 38 05 N 132 56 54 W	F Y	28		KRW on skeleton tower.	Visible 4° each side of rangeline.
		*					28/05
23170	PETERSBURG BAR RANGE REAR LIGHT 519 yards, 235.5° from front light.	56 48 14 N 132 59 45 W	F Y	30		KRW on pile structure.	Visible 4° each side of rangeline.
		*					28/05
28530	<i>Manele Bay Lighted Buoy 2</i>	20 44 19 N 156 52 50 W	F I R 4s		4	Red.	
		*					28/05
44390.4	Tidewater Island Club Channel Daybeacon 2						<i>Remove from list.</i>
							* 28/05

Note: Asterisks (*) indicate that column(s) in which a correction has been made or new information added.
Denotes a new entry when preceding the station number.